



Getting the Best Fit? 25 Years of Statistical Techniques in Archaeology

John D. Wilcock

Abstract

The paper catalogues the first 25 years of CAA contributions, from diverse authors, institutions and countries, to statistical techniques in archaeology, including data analysis, Numerical Taxonomy, Similarity Studies, Factor Analysis, Principal Components Analysis, Correspondence Analysis, Multivariate Statistics, Matrix analysis, Regression, Pottery Quantification, Shape Coding, Cluster Analysis, Seriation, Multidimensional Scaling, Correlation of dating measurements, Simulation, Computer Modelling and archaeological theory, Expert Systems, Artificial Intelligence, Stratigraphical Analysis, Spatial Analysis and Geographical Information Systems. The introduction briefly covers seminal achievements to the discipline of computing archaeology before the advent of CAA in 1973.

1 Introduction

1.1 Early days

Irwin Scollar (1982) in his address entitled "Thirty years of computer archaeology and the future" started out by saying that the title was wrong, and that it should really read something like "25 or so years", and yet in 1997 CAA97 celebrated 25 years of Computer Applications and Quantitative Methods in Archaeology in the meetings of CAA since 1973. Obviously this points out that all was not darkness on the face of the earth before CAA, so we should begin by exploring the seminal work which was undertaken in archaeological applications of computers since the machines became available for such research in the late 1940s and early 1950s.

1.2 Late 1950s, 1960s

These were the days of mainframe computers, electronic valves and early transistor machines, regarded primarily as calculating engines. Much of the work concerned mathematical and statistical techniques applied to archaeological data. Techniques had however been developed in a pencil-and-paper fashion before the advent of computers, examples being the "Sequence Dating" (matrix ordering, seriation) of Flinders Petrie (1899) involving the ordering of Egyptian pre-Dynastic pottery records written on slips of paper, which was later adopted for Zuni pottery classification in the USA (Kroeber 1916), and various matrix ordering and minimum spanning tree derivation methods.

1.3 Main strands in computing archaeology

There have been in general three different categories of problem, with three different corresponding groups of workers involved in computing archaeology from the beginning. The first group was mathematicians and statisticians. In the late 1950s and early 1960s the first and second generation computers were regarded primarily as calculating engines. Much of the work concerned mathematical and statistical techniques applied to

archaeological data. The paper on seriation by Robinson (1951) can be regarded as the beginning of the seriation class of numerical methods in archaeology. In this we have the first example of "hunting in pairs", where Brainerd and Robinson each contributed their expertise to a joint project. In the UK, data analysis methods became popular in archaeology from about 1966, following the availability of a standard work by Sokal and Sneath (1963). Numerical taxonomy was likewise encouraged by papers by Hodson, Sneath and Doran (1966) and Doran and Hodson (1966), and factor analysis by Binford and Binford (1966). Cultural pattern studies employed factor analysis (Binford & Binford 1966), Multidimensional Scaling (Doran and Hodson 1966), Principal Components Analysis (Hodson 1969), Canonical Analysis (Graham 1970), and Constellation Analysis (Azoury & Hodson 1973). In France, at the laboratory for mathematical statistics at the University of Paris VI, Escofier (1969) developed Correspondence Analysis.

The second group of people consisted of scientists and engineers concerned with scientific data from prospection measurements (resistivity meter, proton gradiometer) made on archaeological sites, and from chemical and emission analyses made on artefacts for composition or dating. It is not surprising that scientists, engineers, mathematicians and statisticians were first in the field, for they had early access to first and second generation computers.

The third group of people were museum people who may or may not have been archaeologists. According to Cowgill (1967a; 1967b; 1968) site data was first put into a computer in about 1959 by Ihm (1961) and Gardin. Gardin claims that this 1959 work, on the Euratom IBM 650 at Ispra, Italy, on a collection of Eurasian Bronze Age axes, was the first use of statistical techniques in archaeology using a computer. Early computers had little memory, so the first implementations of databanks are heavily concerned with data coding and compression. Early databanks were also set up in the early 1960s for excavation and museum catalogues.

Archaeologists really got involved much later (late 1970s, early 1980s) when they could afford personal

microcomputers. This review paper will be confined to comments on the quantitative methods of data analysis used for processing data about archaeological entities: Numerical Taxonomy, Similarity Studies, Factor Analysis, Principal Components Analysis, Correspondence Analysis, Multivariate Statistics, Matrix analysis, Regression, Pottery Quantification, Shape Coding, Cluster Analysis, Seriation, Multidimensional Scaling, Correlation of dating measurements, Simulation, Computer Modelling and archaeological theory, Expert Systems, Artificial Intelligence, Stratigraphical Analysis, Spatial Analysis and Geographical Information Systems. Developments in all areas have been hardware and software driven by progress in computers and computing (processor speed, memory size, operating systems and high-level languages) outside the archaeological field.

1.4 Early conferences

Conferences with some content of mathematics and statistics applied to archaeology before the inception of CAA included:

1. 1950 New York (Brainerd 1951)
2. 1959 Burg Wartenstein (Spaulding 1960)
3. 1963 Moscow (Koltchin 1965)
4. 1966 Rome (Centre National de la Recherche Scientifique 1968)
5. 1968 New York (Metropolitan Museum of Art 1968)
6. 1969 Marseilles (Gardin and Richaud (eds.) 1970)
7. 1970 Mamaia (Hodson, Kendall and Tautu 1971; Wilcock 1970; Hodson and Kendall 1971)
8. 1971 Sheffield (Renfrew 1973)
9. 1971 Marseilles (Kendall 1974)

The 1970 Mamaia conference covered the subject areas Typology & Taxonomy, Seriation — including Petrification, Kendall's HORSHU and *Operation Speckled Band* (an unbending of the "horseshoe" configuration common in seriations shown on multidimensional scaling scalograms, being a literary reference to Conan Doyle's Sherlock Holmes novel *The Speckled Band*), Population Genetics & Historical Demography, "Unusual Applications" — Mosaic analysis, databases, geophysics, graphics, and excavation data capture, showing that these last topics were in their infancy, Linkage and Multidimensional Scaling, and "New Techniques" — glottochronology, comparison of multivariate analyses, cemetery analysis, and pottery shape analysis. Around this time Principal Components Analysis replaced Factor Analysis, which was really never applied in archaeology, and Multidimensional Scaling appeared, only to go out of favour in modern computing archaeology.

In particular the Mamaia conference provided a gathering ground for young computer archaeologists, some of whom decided to set up the Computer Applications in Archaeology Association for the running of annual conferences, which were held initially in Britain from 1973.

In the following bibliographies, seminal works, both books and papers, are given up to 1973. Although there are many

books on computing archaeological topics and papers published outside CAA, dated 1974 or later, these are not given below, since the purpose of this paper is to review the achievements of CAA only, against the background of earlier work. The coverage is up to and including CAA95.

2 Data analysis, numerical taxonomy, similarity studies, factor analysis, principal components analysis, correspondence analysis, multivariate statistics, matrix analysis, regression, pottery quantification, shape coding and cluster analysis

Numerical taxonomy as applied to archaeology concerns the attachment of numerical quantities to certain attributes of archaeological materials, whereby the description of the materials may be made more objective. By calculating suitable similarity coefficients between pairs of objects based on these numerical quantities a typology may be constructed which is based solely on the population.

The subject stands on the broad-based theory of statistics developed over the past 75 years. An important early paper by Mahalanobis (1936) gives the definition of the generalised distance coefficient between species and sub-species, based on pooled variance and covariance. The increasing availability of computers made numerical taxonomy more popular, and this increased interest was reflected in papers by Sneath and Sokal (1962) and Sokal and Sneath (1963). These works defined taxonomic terms, with reference to biological data. The most important techniques for archaeologists are seriation, phenon diagrams (dendrograms), similarity coefficients and taxonomic distance. A research seminar on statistics and archaeology held at the Institute of Archaeology, London on 30 May 1964 reflected the increasing interest among archaeologists, and a relevant paper was that by Roe on the metrical and statistical analysis of hand-axe groups, published in more detail in 1968.

In the USA Brown and Freeman (1964) used regression in the study of sherd frequencies from the Carter Ranch Pueblo, using a UNIVAC computer, Binford and Binford (1966) carried out an analysis of Mousterian artefacts, and Cowgill (1968) investigated the advantages and limitations of multidimensional scaling, factor analysis and cluster analysis, discussing his own work and the results of Hodson, Binford, and Brown and Freeman.

There has been a lively debate over the validity of polythetic agglomerative, monothetic divisive, single-link, multiple-link and average-link clustering methodologies. In 1965 there appeared the first of a series of papers concerning clustering methods, which aroused a controversy which has continued to the present. The protagonists were a Cambridge group (Jardine, Jardine and Sibson) and a group from Australia (Lance, Williams, Clifford and Dale); the controversy concerned clustering methods, automatic classification, taxonomic hierarchies and the rigour of the associated mathematics, or lack of it. Much of the controversy can be attributed to different linguistic usage, but in the remaining differences probably both schools had something to offer. It seems pointless to adhere blindly to rigorous mathematical arguments about single-link

clustering being the only valid procedure, when average-link clustering gives sensible and useful results in many archaeological applications. On the other hand, the proliferation of methods without adequate theoretical background leaves the archaeologist in some doubt as to which to use, and perhaps leads to a subjective choice of algorithm which the automatic classification methods were originally constructed to avoid.

Most of the methods are based on storage of the data in matrix or half-matrix form, the items vs. properties incidence matrix leading to the Q-type item vs. item square matrix comparing items, and the R-type property vs. property square matrix comparing the performance of properties. The incidence and square matrices may be manipulated by re-ordering columns and rows to give linear seriations, and minimum spanning trees may also be derived. The property vs. property square matrix is also the starting point for Principal Components Analysis.

One of the earliest applications of matrix ordering in Britain (to British Beaker pottery) was by Clarke (1963), the first of many books and papers produced by this author before his untimely death.

The Cumulative Percentage Graph and its application was described by Doran and Hodson (1966), Kerrich and Clarke (1967) and Whallon (1972).

Several manual methods have been developed, whereby small sets of data may be analysed without the use of a computer. The methods re-order matrices to produce linear seriations (Gelfand 1971), or take the two highest links from each column, followed by deletion of the weakest links in each loop, to produce the minimum spanning tree (Renfrew and Sterud 1969).

Data analysis has received the largest coverage in the literature, perhaps because of its theoretical appeal, and because it is less labour-intensive than data recording from instruments or creating databases. The simplest applications in this field for computers are the generation of descriptive statistics and the manipulation of quantities of data too large to be managed by hand. The routine production of basic descriptive statistics, diagrams and charts is now commonplace, providing the starting point for more complex analytical studies.

Data analysis is the dominant activity in archaeology, and classification comes a close second. Their extension into computing has led to a variety of methods largely developed from the biological sciences. Cluster Analysis is the core of the computerised classification procedures, but the methods are linked to many other areas such as Factor Analysis, Principal Components Analysis and Correspondence Analysis. These methods have become possible only through use of the computer.

The early applications of data analysis were often tackled by archaeologists and statisticians "hunting in pairs", problems of type coding being left to the archaeologists to do by hand, and the statisticians calculating similarity values and re-ordering matrices in order to seriate or classify the data.

In data analysis most attention has been paid to procedures for classifying, ordering (in terms of time or evolution) and

grouping artefacts, assemblages or sites (Similarity Coefficients, Shape Analysis, Cluster Analysis, Seriation), procedures for discovering "factors" or dominant characteristics (Principal Components, Multidimensional Scaling, Multidimensional matrix ordering), and procedures for discovering geographical or spatial relationships (Curve Fitting, Pattern Recognition, Nearest Neighbour Analysis, Chi-Squared, Pearson's Contingency Coefficient, Local Density Analysis, Trend Surface Analysis, etc.).

Thus it was that the mathematical clustering algorithms which appeared in the 1950s and 1960s for biology and biometrics were readily adapted for use in archaeology (Hodson, Sneath & Doran 1966; Doran 1967). Since the early 1970s well-known and reliable packages such as CLUSTAN and SPSS have reduced the problems of data analysis for the archaeologist. The use of well-tested packages is to be encouraged, since this reduces the need for programming, but archaeologists should not use the algorithms uncritically and should understand the statistical limitations of the methods and when they should or should not be used. The "results" will depend very much on the algorithm used, and this is not well understood by some archaeologists — there will always be an "answer" but is it the correct answer? In the early days the algorithms were severely restricted in matrix size by the amount of memory available, and outputs were restricted to line printer. The improved memory space and cheap colour graphics available in modern desk-top computers has revolutionised the presentation of clustering and classification results. The use of well-tested packages is to be encouraged, since users may then concentrate on matters of data selection, entry and validation rather than on programming. However, what may then be supposed to be an objective procedure because a computer is being used, is subjective in the sense that different results are obtained from different algorithms, a point little understood by some archaeologists.

English language workers often ignore the significant contributions which have been made by the French (summarised by Djindjian 1989). Several statistics laboratories in France contributed to a quantitative movement known as 'the French School of Data Analysis'. The chief contributions were numerous multivariate analysis methods, Correspondence Analysis, and cluster analysis algorithms (Typological Analysis, Morphological Analysis, culture pattern studies, provenance studies).

3 Seriation, multidimensional scaling, correlation of dating measurements

Seriation received attention first because there were in existence well-known manual methods for matrix ordering and minimum spanning tree linkage long before computers became generally available. The first notable "hunting in pairs" team was Brainerd and Robinson (Brainerd 1951). Belous (1953) applied the new seriation ideas to the Central California chronological sequence, while Ascher (1959) used a three-pole plot to illustrate seriation. Ascher and Ascher (1963) developed the first computer program for the ordering of matrices after the method of Brainerd and Robinson, and Dempsey and Baumhoff (1963) extended the seriation method to presence/absence data.

The first computer program for Multidimensional Scaling was designed by Shepard (1962), with the support of Kruskal (1964a; 1964b), and the method was further developed by Kendall (1963; 1969a; 1969b; 1970; 1971a; 1971b) from the work of Flinders Petrie (1899). Kendall's 1971a paper introduced a multidimensional scaling algorithm modified by a circular product transformation, the HORSHU method (see above in the description of the 1970 Mamaia conference) developed by Wilkinson (the "circle-up" method of unbending the horseshoe).

One of the simplest and fastest algorithms for seriation was developed by Goldmann, an archaeologist and Kammerer, a programmer (Goldmann 1968; 1972). Interest in seriation increased through the early and mid 1970s, since when little new has appeared.

Hodson (1968; 1969) worked on a collection of La Tène brooches from a linear cemetery at Münsingen-Rain, using average-link cluster analysis, principal components analysis and multidimensional scaling. Hodson, Sneath and Doran (1966) particularly discussed the Münsingen-Rain application. Hodson (1970) later developed the k-means cluster analysis method.

Seriation is one of the extremely few quantitative analytical methods which can be said to have been developed by archaeologists strictly for archaeological application. In importance in the field of archaeological problems it can probably be said to be third (with data analysis first and classification second). In the late 1960s, however, there was an explosion of methodology which was not led by archaeologists, but rather by mathematicians and statisticians. The problem of seriation was attacked theoretically, leading to a variety of methods which archaeologists must now choose between. Multidimensional Scaling, very popular in the late 1960s and early 1970s, has links with seriation if one reads around the 'horseshoe' on a scalogram, but the method has gone out of favour in the 1990s.

4 Simulation, computer modelling and archaeological theory

Ideas and approaches derived from the world of computers have had a significant impact on archaeological thought and method. The introduction of computer processing has influenced the analysis of archaeological data by enabling more complex manipulations and statistical calculations to be done than could have been achieved in any other way. More importantly, the need for clarity and logical precision in computing has forced archaeologists into more precise ways of thinking, leading in turn to new ideas for analysis or even to reconsideration of theory. The process is cumulative, and use of a computer inevitably leads to further applications for that computer.

Simulation is one of the newer and less important computer applications in archaeology. The approach offers an attractive approach to model building, linked to systems theory. An archaeological explanation becomes a matter of defining the variables and actors in a population or culture, and of defining the relationships and interactions between these variables and actors. The main obstacles have been the

difficulty of estimating the size of parameters for a hypothetical system from the available archaeological data, and thereafter the difficulty of checking the validity of the results of the simulation against what actually happened in archaeological time.

Chenhall (1966; 1968) discussed the logic of models, and Cowgill (1967a; 1967b; 1968) was instrumental in introducing the SYMAP software for mapping, using it to interpret the urbanisation of Teotihuacan, Mexico, on the basis of detailed mapping, surface reconnaissance and selected excavations.

The first of many papers by Doran (1967a), formerly a member of the Department of Machine Intelligence and Perception, Edinburgh, put forward a computer scientist's viewpoint on the use of computers in archaeology. Further papers (1967b; 1970; 1971a; 1972) described the development of general machine intelligence concepts applied to archaeology. The papers explore systems theory and computer simulations applied to archaeology, evaluating attempts by Clarke and others to make use of concepts drawn from systems theory and cybernetics, and also comparing archaeological reasoning and machine reasoning. The 1971 paper described the computer analysis of the linear cemetery at Münsingen-Rain. The fibulae data consists of measurements and motifs, and the results were presented in distribution map and histogram form.

5 Expert systems and artificial intelligence

Attempts to use Expert System methodology in archaeology have largely failed because of the extremely diffuse nature of the archaeological situation. Where a modicum of success has been achieved, such as in the classification of teeth (Brough and Parfitt 1984), the data fields and measurements are already precisely defined in a scientific sense.

6 Stratigraphical analysis

A number of techniques for ordering archaeological contexts based on context relationships have been developed. These all sprang from the Harris Matrix type of definition of context relationships (Harris, E.C. 1975. 'The stratigraphic sequence: a question of time', *World Archaeology*), and the methods now provide routine tools for analysis of the relationships between excavated contexts on an archaeological site.

7 Spatial analysis and geographical information systems

Spatial analysis began with the central place theory of Christaller (1933), but geographers in general were slow to adopt quantitative methods and the use of computers.

In plant studies spatial analysis using quadrats was employed in the late 1950s and early 1960s, but the introduction of geographical co-ordinates came much later in computing archaeology, archaeological spatial analysis techniques not appearing until the late 1960s and early 1970s. The simple archaeological area plots of the mid-1960s have given way to standard mapping and contouring packages such as SYMAP,

and more recently to sophisticated GIS packages. Trend Surface Analysis was applied by Sneath (1967) to distributions of various skull types.

For successful use in archaeology, spatial analysis techniques will be needed beyond those described by Hodder and Orton (Hodder, I. and C. Orton 1976. *Spatial analysis in archaeology*, Cambridge University Press, Cambridge). With the availability of larger memories, larger data sets have been manipulated through the 1980s and 1990s using Geographical Information Systems. However, although many pretty overlay pictures have been obtained by logical conjunctions of the improved data sets, there has been insufficient development in spatial simulation techniques to influence archaeological theory.

8 Commentary and conclusions

With respect to the importance of statistics and quantitative methods in computing archaeology, a study has been made of the developments reported in the published papers of the Computer Applications and Quantitative Methods in Archaeology Conferences since 1973. The further developments in computing archaeological techniques attributable to CAA are listed in the bibliographies below, and the coverage of the CAA conferences between 1973 and 1995 is comprehensive for statistical methods. The selection of seminal books and papers up to 1973 is mine alone, and no work outside CAA is listed from 1974 onwards, since the brief is to examine the contribution of CAA to the subject, within the context of earlier work.

A raw count of the number of pages published in various CAA years is shown in Fig. 1, with peaks in the two-volume publications of 1988 and 1995.




Figure 1: A graph of the raw page counts of papers published in the CAA years 1973–1995, showing peaks in the two-volume publications of 1988 and 1995.

A more enlightening summary is shown by the graph of Fig. 2, which shows the percentage importance of quantitative

methods at CAA. Databases and statistics were the earlier and most important applications. Starting with a 65% emphasis on databases in 1973, a cyclic effect is detectable, databases being more important in 1973, 1982–1985 and 1989–1991, and statistics being more important in 1974–1980, 1987 and 1992. The lower statistics peaks from 1987 onwards are a consequence of more diverse areas of application being developed in later years.




Figure 2: A graph of the percentage importance of quantitative methods (QM) at CAA for the years 1973–1995, with the titles of the conferences. Statistics and QM were better represented in 1974–1980, 1987 and 1992. The lower statistics peaks from 1987 onwards are a consequence of more diverse areas of application being developed in later years. An apparent decline in popularity of QM papers in 1986 prompted QM workers to make representations, and the original “Computer Applications in Archaeology” title was changed in 1987 to “Computer and Quantitative Methods in Archaeology” to encourage more QM papers. In 1989 the title was changed again to “Computer Applications and Quantitative Methods in Archaeology” which it has remained ever since.

The original title of the conferences was “Computer Applications in Archaeology” (CAA). However, the apparent decline in quantitative methods evident at the 1986 CAA Conference prompted quantitative methods workers, and particularly Bob Laxton, to propose a change in title of the Conferences to “Computer and Quantitative Methods in Archaeology”, and this was accepted in 1987. In 1989 the title was changed again to “Computer Applications and Quantitative Methods in Archaeology” which it has remained ever since.

Finally, what is the health of quantitative methods in Computing Archaeology generally? 1995 shows a rising limb, and the indications are that a relative importance for quantitative methods of about 25% of all papers at CAA will be maintained. We shall see!

Bibliography

Seminal Books and Papers before CAA

General

- Binford, L R, 1964 A consideration of archaeological research design, *American Antiquity*, 29(4), 425–441
- Binford, L R, 1965 Archaeological systematics and the study of culture process, *American Antiquity*, 31(2), 203–210
- Brainerd, G W, 1951 In Griffin, J B (ed), *Essays on archaeological methods*, *Anthropological Papers* 8, Museum of Anthropology, University of Michigan
- Burton, V, Bonin, A, Lourie, J and Spiselman T, 1970 The computer and archaeology, *American Journal of Archaeology*, 74, 221–223
- Centre National de la Recherche Scientifique 1968 *Calcul et formalisation dans les sciences de l'homme*, Paris
- Chenhall, R G, 1965 et seq. *Newsletter of computer archaeology*, Department of Anthropology, Arizona State University, Tempe, Arizona
- Chenhall, R G, 1966 The description of archaeological data in computer language, *American Antiquity*, 32(2), 161–167
- Chenhall, R G, 1971 *Computers in anthropology and archeology*, IBM Data Processing Application GE20-0384-0, International Business Machines
- Cole, A J (ed) 1969 *Numerical taxonomy*, Academic Press, London & New York
- Cowgill, G L, 1967a Computer applications in archaeology, *Computers and the Humanities*, 2(1), 17–23
- Cowgill, G L, 1967b Computer applications in archaeology, Fall Joint Computer Conference, *AFIPS* 31, 331–337
- Doran, J E, 1971b An evaluation of statistical applications, *Newsletter of Computer Archaeology*, 7(2), 1–2
- Gardin, J-C, 1958 Four codes for the description of artifacts: an essay in archaeological technique and theory, *American Anthropologist*, 60, 335–357
- Gardin, J-C, 1965 On a possible interpretation of componential analysis in archaeology, *American Anthropologist*, 67(5 part 2), 9–23
- Gardin, J-C, 1967 Methods for the descriptive analysis of archaeological material, *American Antiquity*, 32(1), 13–30
- Gardin, J-C, 1971 Archaeology and computers: new perspectives, *Int. Soc. Sci. J.*, XXIII(2), 189–203
- Gardin, J-C and Richaud, A M (eds) 1970, *Archéologie et calculateurs, Problèmes sémiologiques et mathématiques*, Editions du CNRS, Centre National de la Recherche Scientifique, Paris
- Hodson, F R and Kendall, D G, 1971 Mathematics in archaeology and history, *Antiquity*, 45, 55–56
- Hodson, F R, Kendall, D G and Tautu, P, 1971 *Mathematics in the archaeological and historical sciences*, University of Edinburgh Press, Edinburgh
- Kendall, D G, 1974 Archaeology and mathematics, *Antiquity*, XLVIII, 40–45
- Koltchin, B A (ed) 1965 *Archeologija I estestvennye nauki*, Institut Archeologii, Akademia nauk SSSR, Nauka, Moskva
- Metropolitan Museum of Art, 1968 *Computers and their potential applications in museums*, Arno Press, New York
- Petrie, W M Flinders, 1899 Sequences in prehistoric remains, *J. Royal Anthropol. Inst.*, 29, 295–301
- Renfrew, C, 1973 *Before civilization. The radiocarbon revolution and Prehistoric Europe*, Jonathan Cape, London
- Renfrew, C (ed) 1973 *The explanation of culture change: Models in prehistory*, Gerald Duckworth & Co Ltd, London
- Sneath, P H A, 1957 The application of computers to taxonomy, *Journal of General Microbiology*, 17, 201–226
- Sneath, P H A and Sokal, R R, 1962 Numerical taxonomy, *Nature*, 193(4818), 855–860
- Sneath, P H A and Sokal, R R, 1973 *Numerical taxonomy. The principles and practice of numerical classification*, W.H. Freeman and Company, San Francisco
- Sokal, R R and Sneath, P H A, 1963 *Principles of numerical taxonomy*, W.H. Freeman and Company, San Francisco
- Sokal, R R and Rohlf, F J, 1962 The comparison of dendrograms by objective methods, *Taxon*, XI(2), 33–40
- Tugby, D J, 1965 Archaeological objectives and statistical methods: a frontier in archaeology, *American Antiquity*, 31(1), 1–16
- Watson, R A, 1972 The new archaeology of the 1960s, *Antiquity*, XLVI, 210–215
- Whallon, R, Jr. 1972 The computer in archaeology: a critical survey, *Computers and the Humanities*, 7 (1), 29–45
- Wilcock, J D, 1969 Computer applications in archaeology, *Datafair 69, Abstracts of the British Computer Society Symposium Papers*, The British Computer Society, London
- Wilcock, J D, 1970 Our man in Mamaia, *Science and Archaeology*, 2/3, 12–16

Factor analysis, principal components analysis, correspondence analysis

- Binford, L R, 1972 *An archaeological perspective*, Academic Press Inc. (London) Ltd, London
- Binford, L R and Binford, S R, 1966 A preliminary analysis of functional variability in the Mousterian of Levallois facies, *American Anthropologist*, 68, 238–295
- Escofier, B, 1969 Lanalyse factorielle, *Les cahiers du Buro 13*
- Gower, J C, 1966 A Q-technique for the calculation of canonical variates, *Biometrika*, 53, 588–589

Graham, J M, 1970 Discrimination of British Lower and Middle Palaeolithic handaxe groups using canonical variates, *World Archaeology*, 1, 321–342

Hotelling, H, 1936 Simplified calculation of principal components, *Psychometrika*, 1(1), 27–35

Seriation and multidimensional scaling

Ascher, M, 1959 A mathematical rationale for graphical seriation, *American Antiquity*, 25(2), 212–214

Ascher, M and Ascher, R, 1963 Chronological ordering by computer, *American Anthropologist*, 65, 1045–1052

Belous, R E, 1953 The Central California chronological sequence re-examined, *American Antiquity*, 18(4), 341–353

Brainerd, G W, 1951 The place of chronological ordering in archaeological analysis, *American Antiquity*, 16(4), 301–313

Dempsey, P and Baumhoff, M, 1963 The statistical use of artifact distributions to establish chronological sequence, *American Antiquity*, 28(4), 496–509

Doran, J E, 1967a Electronic computers and archaeology: a computer scientists viewpoint, Research Seminar on archaeology and related subjects, Institute of Archaeology, London, 23 January 1967

Doran, J E, 1971a Computer analysis of data from the La Tène cemetery at Münsingen-Rain, in Hodson, F R, Kendall, D G and Tautu, P, 1971 *Mathematics in the archaeological and historical sciences*, 422–431, University of Edinburgh Press, Edinburgh

Doran, J E and Hodson, F R, 1966 A digital computer analysis of Palaeolithic flint assemblages, *Nature*, 210(5037), 688–689

Gelfand, A E, 1971 Seriation methods for archaeological materials, *American Antiquity*, 36(3), 263–274

Goldmann, K, 1968 Zur Auswertung archäologischer Funde mit Hilfe von Computern, *Die Kunde*, 19, 1–8

Goldmann, K, 1972 Zwei Methoden chronologischer Gruppierung, *Acta Praehistorica et Archaeologica*, 3, 1–34

Hodson, F R, 1968 *The La Tène cemetery at Münsingen-Rain. Catalogue and relative chronology*, Verlag Stämpfli and CIE AG Bern

Hole, F and Shaw, M, 1967 *Computer analysis of chronological seriation*, Rice University Studies, 53(3), 1–166

Kendall, D G, 1963 A statistical approach to Flinders Petries sequence dating, *Bulletin of the International Statistics Institute*, 40, 657–680

Kendall, D G, 1969a Incidence matrices, interval graphs and seriation in archaeology, *Pacific Journal of Mathematics*, 28, 565–570

Kendall, D G, 1969b Some problems and methods in statistical archaeology, *World Archaeology*, 1, 68–76

Kendall, D G, 1970 A mathematical approach to seriation, *Phil. Trans. Roy. Soc. London*, A269, 125–135

Kendall, D G, 1971a Seriation from abundance matrices, in Hodson, F R, Kendall, D G and Tautu, P, 1971 *Mathematics in the archaeological and historical sciences*, 215–222, University of Edinburgh Press, Edinburgh

Kendall, D G, 1971b Abundance matrices and seriation in archaeology, *Zeitschrift für Wahrscheinlichkeitstheorie*, 17, 104–112

Kroeber, A L, 1916 Zuñi potsherds, *Anthropological Papers of the American Museum of Natural History*, New York, 18(1), 1–37

Kruskal, J B, 1964a Multidimensional scaling by optimizing goodness-of-fit to a nonmetric hypothesis, *Psychometrika*, 29(1), 1–27

Kruskal, J B, 1964b Nonmetric multidimensional scaling: A numerical method, *Psychometrika*, 29(2), 115–129

Kruskal, J B, 1971 Multidimensional scaling in archaeology: time is not the only dimension, in Hodson, F R, Kendall, D G and Tautu, P, 1971 *Mathematics in the archaeological and historical sciences*, 119–132, University of Edinburgh Press, Edinburgh

Kuzara, R S, Mead, G R and Dixon, K A, 1966 Seriation of anthropological data: A computer program for matrix ordering, *American Anthropologist*, 68(6), 1442–1455

Robinson, W S, 1951 A method for chronologically ordering archaeological deposits, *American Antiquity*, 16(4), 293–301

Robinson, W S and Brainerd, G W, 1952 Robinsons coefficient of agreement — a rejoinder, *American Antiquity* 18(1), 60–61

Shepard, R N, 1962 The analysis of proximities: multidimensional scaling with an unknown distance function. I., *Psychometrika*, 27(2), 125–140

Torgerson, W S, 1965 Multidimensional scaling of similarity, *Psychometrika*, 30(4), 379–393

Wilkinson, E M, 1971 Archaeological seriation and the travelling salesman problem, in Hodson, F R, Kendall, D G and Tautu, P, 1971 *Mathematics in the archaeological and historical sciences*, 276–283, University of Edinburgh Press, Edinburgh

Similarity studies, classification, shape coding and cluster analysis

Azoury, I and Hodson, F R, 1973 Comparing Palaeolithic assemblages: Ksar Akil, a case study, *World Archaeology*, 4(3), 292–306

Ball, G H, 1965 Data analysis in the social sciences: what about the details?, *American Federation of Information Processing Societies Fall Joint Computer Conference*, 27(1), 533–559, Macmillan, London

Ball, G H and Hall, D J, 1967 A clustering technique for summarizing multivariate data, *Behavioral Science*, 12(2), 153–155

Clarke, D L, 1962 Matrix analysis and archaeology with particular reference to British Beaker pottery, *Proceedings of the Prehistoric Society N.S.*, XXVIII, 371–382

Clarke, D L, 1963 Matrix analysis and archaeology, *Nature*, 199(4895), 790–792

Clarke, D L, 1968 *Analytical Archaeology*, Methuen & Co Ltd, London

- Clarke, D L, 1970 *Beaker pottery of Great Britain and Ireland*, 2 volumes, Cambridge University Press, London
- Clarke, D L (ed) 1972 *Models in archaeology*, Methuen & Co Ltd, London
- Clarke, D L, 1973 Archaeology: the loss of innocence, *Antiquity*, XLVII, 6–18
- Cole, A J and Wishart, D, 1970 An improved algorithm for the Jardine-Sibson method of generating overlapping clusters, *Computer Journal*, 13(2), 156–163
- Cormack, R M, 1971 A review of classification, *J. R. Statist. Soc. B.*, 33(3), 321–367
- Cowgill, G L, 1968 Archaeological applications of factor, cluster and proximity analysis, *American Antiquity*, 33(3), 367–375
- Crawford, R M M and Wishart, D, 1967 A rapid multivariate method for the detection and classification of groups of ecologically related species, *J. Ecol.*, 55, 505–524
- Doran, J E and Hodson, F R, 1966 A digital computer analysis of palaeolithic flint assemblages, *Nature*, 210, 688–689
- Doran, J E, 1967b Computers in archaeology, 72nd ordinary meeting of the British Region of the Biometric Society, 7 December 1967, London
- Edwards, A W F and Cavalli-Sforza, L L, 1964 Reconstruction of evolutionary trees, *Phenetic and Phylogenetic Classification*, 6, 67–76, The Systematics Association, London
- Edwards, A W F and Cavalli-Sforza, L L, 1965 A method for cluster analysis, *Biometrics*, 21(2), 362–375
- Freeman, H, 1961 On the encoding of arbitrary geometric configurations, *IRE Transactions on Electronic Computers* June 1961, 260–268
- Friedman, H P and Rubin, J, 1967 On some invariant criteria for grouping data, *J. American Statistical Association*, 62(320), 1159–1178
- Gardin, J-C, 1956 *Le fichier méchanographique de loutillage*, Inst. Française d'Archéologie de Beyrouth, 1–20
- Gardin, J-C, 1958 Four codes for description of artifacts, an essay in archaeological technique and theory, *American Anthropologist*, 60(2), 335–357
- Gardin, J-C, 1971 *Étude dun système intégré acquisition et dexploitation automatiques de données scientifiques*, Rapport CNRS 36/1971/CRI-IRIA Projet III-43
- Gower, J C, 1966 Some distance properties of latent root and vector methods used in multivariate analysis, *Biometrika*, 53(3 and 4), 325–338
- Gower, J C, 1967 A comparison of some methods of cluster analysis, *Biometrics*, 23(4), 623–638
- Gower, J C and Ross, G J S, 1969 Minimum spanning trees and single link cluster analysis, *Applied Statistics*, 18(1), 54–64
- Hartigan, J A, 1967 Representation of similarity matrices by trees, *Jour. Am. Statist. Ass.*, 62(320), 1140–1158
- Hodson, F R, 1969 Searching for structure within multivariate archaeological data, *World Archaeology*, 1, 90–105
- Hodson, F R, 1970 Cluster analysis and archaeology, some new developments and applications, *World Archaeology*, 1, 299–320
- Hodson, F R, Sneath, P H A and Doran, J E, 1966 Some experiments in the numerical analysis of archaeological data, *Biometrika*, 53(3 and 4), 311–324
- Ihm, P, 1961 Classification automatique des objets de l'âge du bronze, *Compte-rendus du séminaire sur les modèles mathématiques dans les sciences sociales*, 1960-1(3), 28–33, École Pratique des Hautes Études, 6e Section, Paris
- Jardine, C J, 1970 Algorithms, methods and models in the simplification of complex data, *Computer Journal*, 13(1), 116–117
- Jardine, C J, Jardine, N and Sibson, R, 1967 The structure and construction of taxonomic hierarchies, *Mathematical Biosciences*, 1, 173–179
- Jardine, N and Sibson, R, 1968 The construction of hierarchic and non-hierarchic classifications, *Computer Journal*, 11(2), 177–184
- Jardine, N and Sibson, R, 1971 Choice of methods for automatic classification, *Computer Journal*, 14(4), 404–406
- Kerrich, J E and Clarke, D L, 1967 Notes on the possible misuse and errors of cumulative percentage frequency graphs for the comparison of prehistoric artefact assemblages, *Proceedings of the Prehistoric Society N.S.*, XXXIII, 57–69
- Krumbein, W C, 1959 Trend surface analysis of contour-type maps with irregular control-point spacing, *Journal of Geophysical Research*, 64(7), 823–834
- Kruskal, J B, 1956 On the shortest spanning subtree of a graph and the travelling salesman problem, *Proc. Amer. Math. Soc.*, 7, 48–50
- Lance, G N and Williams, W T, 1965 Computer programs for monothetic classification (“association analysis”), *Computer Journal*, 8(3), 246–249
- Lance, G N and Williams, W T, 1966 Computer programs for polythetic classification (“similarity analyses”), *Computer Journal*, 9(1), 60–64
- Lance, G N and Williams, W T, 1967a A general theory of classificatory sorting strategies I. Hierarchical systems, *Computer Journal*, 9(4), 373–380
- Lance, G N and Williams, W T, 1967b A general theory of classificatory sorting strategies II. Clustering systems, *Computer Journal*, 10(3), 271–277
- Mahalanobis, P C, 1936 On the generalised distance in statistics, *Proc. Nat. Inst. Sci. India*, 12, 49–55
- Matthews, J, 1963 Application of matrix analysis to archaeological problems, *Nature*, 198, 930–934
- Orton, C R, 1970 The production of pottery from a Roman-British kiln site: a statistical investigation, *World Archaeology*, 1(3), 343–358
- Renfrew, C and Sterud, G, 1969 Close-proximity analysis: a rapid method for the ordering of archaeological materials, *American Antiquity*, 34(3), 265–277

- Roe, D A, 1964 Metrical and statistical analysis of handaxe groups in the British Lower Palaeolithic, Research Seminar on Statistics and Archaeology, Institute of Archaeology, London, 30 May 1964
- Rogers, D J and Tanimoto, T T, 1960 A computer program for classifying plants, *Science*, 132(3434), 1115–1118
- Rohlf, F J, 1970 Adaptive hierarchical clustering schemes, *Syst. Zool.*, 18, 58
- Rubin, J, 1967 Optimal classification into groups: an approach for solving the taxonomy problem, *J. Theoret. Biol.*, 15(1), 103–144
- Sackett, J R, 1966 Quantitative analysis of Upper Palaeolithic stone tools, *American Anthropologist*, 68, 356–394
- Sibson, R, 1971 Some observations on a paper by Lance and Williams, *Computer Journal*, 14(2), 156–157
- Sneath, P H A, 1966 A comparison of different clustering methods as applied to randomly-spaced points, *The Classification Society Bulletin* 1
- Spaulding, A C, 1953 Statistical techniques for the discovery of artifact types, *American Antiquity*, 18(4), 305–313
- Spaulding, A C, 1960 Statistical description and comparison of artifact assemblages, in Cook, S F and Heizer, R F (eds), *The application of quantitative methods in archaeology*, 60–92, *Viking Fund Publications in Archaeology* 28, Quadrangle Books, Chicago
- Thomas, D H, 1971 On the use of cumulative curves and numerical taxonomy, *American Antiquity*, 36(2), 206–209
- Tugby, D J, 1958 A typological analysis of axes and choppers from Southwest Australia, *American Antiquity*, 24(1), 24–33
- Voss, O, 1966 Dokumentationsprobleme in der Archaologie, *Kuml*, 97–134
- Wagner, N E, 1971a Computer studies of Ontario Iroquois, The Canadian Archaeological Association, 26 February 1971
- Wagner, N E, 1971b *Coding and clustering pottery by computer*, Waterloo Lutheran University, Waterloo, Ontario
- Ward, J H, 1963 Hierarchical grouping to optimise an objective function, *J. Am. Statist. Ass.*, 58, 236–244
- Whallon, R Jr, 1971 A computer program for monothetic subdivisive classification in archaeology, University of Michigan Museum of Anthropology, *Technical Reports* 1, *Contributions in Computer Applications to Archaeology* 1
- Whallon, R Jr, 1972 A new approach to pottery typology, *American Antiquity*, 37(1), 13–33
- Williams, W T, Clifford, H T and Lance, G N, 1971 Group-size dependence: a rationale for choice between numerical classifications, *Computer Journal*, 14(2), 157–162
- Williams, W T, Lance, G N, Dale, M B and Clifford, H T, 1971 Controversy concerning the criteria for taxonomic strategies, *Computer Journal*, 14(2), 162–165
- Wishart, D, 1969 An algorithm for hierarchical classifications, *Biometrics*, 25, 165–170

Simulation and archaeological theory

- Binford, S R and Binford, L R (eds), 1968 *New perspectives in archaeology*, Aldine Publishing Co., Chicago
- Borillo, M, 1971 Formal procedures and the use of computers in archaeology, *Norwegian Archaeological Review*, 4 (1), 2–27
- Bourelly, L, 1972 Quelques aspects de la notion moderne de simulation, in *Les Méthodes Mathématiques de l'Archéologie*, 186–189, C.N.R.S. Centre d'Analyse Documentaire pour l'Archéologie, Marseille
- Chenhall, R G, 1968 The impact of computers on archaeological theory: an appraisal and projection, *Computers and the Humanities*, 3(1), 15–24
- Clarke, D L, 1968 *Analytical archaeology*, Methuen, London
- Doran, J E, 1970 Systems theory, computer simulations and archaeology, *World Archaeology*, 1(3), 289–298
- Doran, J E, 1972 Automatic generation and evaluation of explanatory hypotheses, in *Les Méthodes Mathématiques de l'Archéologie*, 200–211, C.N.R.S. Centre d'Analyse Documentaire pour l'Archéologie, Marseille
- Gardin, J-C, 1971 Archaeology and computers: new perspectives, *Int. Soc. Sci. J.*, 23(2), 189–203
- Heizer, R F and Cook, S F (eds), 1960 *The applications of quantitative methods in archaeology*, Viking Fund Publications in Archaeology 28, Quadrangle Books, Chicago

Spatial analysis (curve fitting, pattern recognition, nearest neighbour analysis, chi-squared, pearsons contingency coefficient, local density analysis, trend surface analysis, etc.)

- Brown, J A and Freeman, L G Jr, 1964 A UNIVAC analysis of sherd frequencies from the Carter Ranch Pueblo, Eastern Arizona, *American Antiquity*, 30(2), 162–167
- Christaller, W, 1933 *Die zentralen Orte in Sueddeutschland*, Jena
- Freeman, L G Jr and Brown, J A, 1964 Statistical analysis of Carter Ranch pottery, *Fieldiana: Anthropology* 15, Chicago Natural History Museum
- Greig-Smith, P, 1952 The use of random and contiguous quadrats in the study of the structure of plant communities, *Annals of Botany N.S.*, 16(62), 293–316
- Greig-Smith, P, 1961 Data on pattern within plant communities I. The analysis of pattern, *Journal of Ecology*, 49, 695–702
- Kershaw, K A, 1957 The use of cover and frequency in the detection of pattern in plant communities, *Ecology*, 38(2), 291–299
- Sneath, P H A, 1967 Trend surface analysis of transformation grids, *J. Zool. Lond.*, 151, 65–122
- Thompson, H R, 1958 The statistical study of plant distribution patterns using a grid of quadrats, *Australian J. Botany*, 6, 322–342

General

- Scollar, I, 1982 Thirty years of computer archaeology and the future, *Computer Applications in Archaeology 1982*, 189–198, University of Birmingham
- Wilcock, J D, 1973 A general survey of computer applications in archaeology, Proceedings of the First Annual Conference on Computer Applications in Archaeology, University of Birmingham, *Science and Archaeology*, 9, 17–21

Data analysis, similarity studies, multivariate statistics, matrix analysis, regression, pottery quantification, shape coding and cluster analysis

- Allsworth-Jones, P, 1975 The Early Upper Palaeolithic in Central Europe: A cluster analysis of some Aurignacian and some Szeletian assemblages, *Computer Applications in Archaeology 1975*, 81–92, University of Birmingham
- Allsworth-Jones, P and Wilcock, J D, 1974 Palaeolithic “leafpoints” — an experiment in taxonomy, *Computer Applications in Archaeology 1974*, 36–46, University of Birmingham
- Barcelo, J A, 1993 Back-propagation algorithms to compute similarity relationships among archaeological artefacts, *Computer Applications and Quantitative Methods in Archaeology 1993*, 165–176, Staffordshire University
- Barcelo, J A, 1995 Heuristic classification and fuzzy sets. New tools for archaeological typologies, *Interfacing the Past. Computer Applications and Quantitative Methods in Archaeology CAA95*, 155–164, *Analecta Praehistorica Leidensia* 28, University of Leiden
- Baxter, M J, 1991 Archaeological uses of the biplot — a neglected technique?, *Computer Applications and Quantitative Methods in Archaeology 1991*, 141–148, University of Oxford
- Baxter, M J and Cool, H E M, 1990 An approach to quantifying window glass, *Computer Applications and Quantitative Methods in Archaeology 1990*, 127–131, University of Southampton
- Baxter, M J, Cool, H E M and Heyworth, M P, 1995 Detecting unusual data: an archaeometric example, *Interfacing the Past. Computer Applications and Quantitative Methods in Archaeology CAA95*, 95–101, *Analecta Praehistorica Leidensia* 28, University of Leiden
- Beardah, C C and Baxter, M J, 1995 MATLAB routines for Kernel Density Estimation and the graphical representation of archaeological data, *Interfacing the Past. Computer Applications and Quantitative Methods in Archaeology CAA95*, 179–184, *Analecta Praehistorica Leidensia* 28, University of Leiden
- Biro, K T, 1992 Good or bad? Raw material procurement criteria in the Carpathian Basin. A diachronic approach, *Computing the Past. Computer Applications and Quantitative Methods in Archaeology CAA92*, 405–413, Aarhus University Press, Aarhus University
- Buck, C E, 1992 The provenancing of archaeological ceramics: a Bayesian approach, *Computing the Past. Computer Applications and Quantitative Methods in Archaeology CAA92*, 293–301, Aarhus University Press, Aarhus University
- Bullas, S G, 1994 Identifying your local slag... the use of quantitative methods and microstructure analysis in determining the provenance of British bloomery slags from the late Iron Age to the end of the Roman occupation, *Computer Applications and Quantitative Methods in Archaeology 1994*, 95–99, University of Glasgow
- Callow, P, 1981 Have computer, will classify? A Stone Age problem, *Computer Applications in Archaeology 1981*, 26–35, University of London, Institute of Archaeology ISBN 0 905853 12 1
- Callow, P and Webb, R E, 1974 Cluster analysis of French Mousterian industries, *Computer Applications in Archaeology 1974*, 16, University of Birmingham
- Caseau, B and Caseau, Y, 1994 A method for the analysis of incomplete data and its application to monastic settlements in Italy (4th–6th century), *Computer Applications and Quantitative Methods in Archaeology 1994*, 113–121, University of Glasgow
- Clark, G A, 1974 On the analysis of multidimensional contingency table data using log linear models, *Computer Applications in Archaeology 1974*, 47–58, University of Birmingham
- Dallas, C, 1991 Relational description, similarity and classification of complex archaeological entities, *Computer Applications and Quantitative Methods in Archaeology 1991*, 167–178, University of Oxford
- Daniels, S G H, 1980 Two software packages for archaeological quantitative data analysis, *Computer Applications in Archaeology 1980*, 3–8, University of Birmingham
- Djindjian, F, 1989 Fifteen years of contributions of the French school of data analysis to quantitative archaeology, *Computer Applications and Quantitative Methods in Archaeology 1989*, 193–204, University of York
- Durham, P, Lewis, P and Shennan, S J, 1995 Image processing strategies for artefact classification, *Interfacing the Past. Computer Applications and Quantitative Methods in Archaeology CAA95*, 235–239, *Analecta Praehistorica Leidensia* 28, University of Leiden
- Fieller, N and Flenley, E, 1987 Statistical analysis of particle sizes and sediments, *Computer and Quantitative Methods in Archaeology 1987*, 79–94, University of Leicester
- Fleming, S J, Bedal, L-A and Swann, C P, 1993 Glassmaking at Geoy Tepe (Azerbaijan) during the early 2nd millennium BC: a study of blue colourants using PIXE spectrometry, *Computer Applications and Quantitative Methods in Archaeology 1993*, 199–204, Staffordshire University

- Galloway, P, 1976 Cluster analysis using fragmentary data, *Computer Applications in Archaeology 1976*, 41–47, University of Birmingham
- Gao, L, Luo, H and Wilcock, J D, 1989 The analysis of ancient Chinese pottery and porcelain shapes: a study of classical profiles from the Yangshao culture to the Qing dynasty using computerised profile data reduction, cluster analysis and fuzzy boundary discrimination, *Computer Applications and Quantitative Methods in Archaeology 1989*, 363–374, University of York
- Goodson, K J, 1989 Shape information in an artefact database, *Computer Applications and Quantitative Methods in Archaeology 1989*, 349–361, University of York
- Green, D F, 1975 Testing a traditional typology using cluster analysis, *Computer Applications in Archaeology 1975*, 25–32, University of Birmingham
- De Guio, A and Secco, G, 1988 Archaeological applications of the Percolation Method for data analysis and pattern recognition, *Computer and Quantitative Methods in Archaeology 1988*, 63–93, University of Birmingham
- Hall, N S and Laflin, S, 1984 A computer aided design technique for pottery profiles, *Computer Applications in Archaeology 1984*, 178–188, University of Birmingham
- Hodson, F R and Tyers, P A, 1988 Data analysis for archaeologists: the Institute of Archaeology packages, *Computer and Quantitative Methods in Archaeology 1988*, 31–41, University of Birmingham
- Huggett, J W, 1993 Numerical techniques for burial analysis, *Computer Applications and Quantitative Methods in Archaeology 1993*, 183–190, Staffordshire University
- Jones, L D, 1987 Some computer applications to petrological analysis of pottery, *Computer and Quantitative Methods in Archaeology 1987*, 253–261, University of Leicester
- Keene, S and Orton, C, 1991 Measuring the condition of museum collections, *Computer Applications and Quantitative Methods in Archaeology 1991*, 163–166, University of Oxford
- Kobylnski, Z and Buko, A, 1992 Computer clustering in the analysis of non-morphological attributes of pottery sherds: two examples from Poland, *Computing the Past. Computer Applications and Quantitative Methods in Archaeology CAA92*, 349–356, Aarhus University Press, Aarhus University
- Laflin, S, 1978 A study of similarity coefficients, *Computer Applications in Archaeology 1978*, 69–76, University of Birmingham
- Laflin, S, 1979 A density function for cluster analysis, *Computer Applications in Archaeology 1979*, 36–38, University of Birmingham
- Laflin, S, 1985 Input and analysis of profiles using a microcomputer, *Computer Applications in Archaeology 1985*, 91–94, Institute of Archaeology, London
- Laflin, S, 1986 Use of a Sinclair Spectrum for shape analysis, *Computer Applications in Archaeology 1986*, 83–90, University of Birmingham
- Laflin, S, Roper, A, Symonds, R P and White, R H, 1992 Analysis of pottery from Wroxeter Roman city, *Computing the Past. Computer Applications and Quantitative Methods in Archaeology CAA92*, 389–404, Aarhus University Press, Aarhus University
- Leese, M N, 1979 A statistical study of Welsh Bronze Age metal artifacts, *Computer Applications in Archaeology 1979*, 45–52, University of Birmingham
- Leese, M N and Bradley, S M, 1994 Conservation condition surveys at the British Museum, *Computer Applications and Quantitative Methods in Archaeology 1994*, 81–86, University of Glasgow
- Leese, M N, Hughes, M J and Stopford, J, 1989 The chemical composition of tiles from Bordesley: a case study in data treatment, *Computer Applications and Quantitative Methods in Archaeology 1989*, 241–249, University of York
- Leese, M N and Main, P L, 1983 An approach to the assessment of artefact dimensions as descriptors of shape, *Proceedings of the Conference on Computer Applications and Quantitative Methods in Archaeology CAA83*, 171–180, University of Bradford
- Lloyd-Jones, J, 1994 Measuring biological affinity among populations: a case study of Romano-British and Anglo-Saxon populations, *Computer Applications and Quantitative Methods in Archaeology 1994*, 69–73, University of Glasgow
- Lockyear, K, 1995 Dmax based cluster analysis and the supply of coinage to Iron Age Dacia, *Interfacing the Past. Computer Applications and Quantitative Methods in Archaeology CAA95*, 165–178, *Analecta Praehistorica Leidensia* 28, University of Leiden
- Main, P L, 1978 The storage, retrieval and classification of artefact shapes, *Computer Applications in Archaeology 1978*, 39–48, University of Birmingham
- Main, P L, 1981 SHU — An interactive graphics program for the storage, retrieval and analysis of artefact shapes, *Computer Applications in Archaeology 1981*, 75–82, University of London, Institute of Archaeology ISBN 0 905853 12 1
- Main, P L, 1986 Accessing outline shape information efficiently within a large database, *Computer Applications in Archaeology 1986*, 73–82, University of Birmingham
- Main, P L, 1987 Accessing outline shape information efficiently within a large database II: database compaction techniques, *Computer and Quantitative Methods in Archaeology 1987*, 243–251, University of Leicester
- Menard, C and Sablatnig, R, 1995 Pictorial, three-dimensional acquisition of archaeological finds as basis for an automatic classification, *Interfacing the Past. Computer Applications and Quantitative Methods in Archaeology CAA95*, 415–428, *Analecta Praehistorica Leidensia* 28, University of Leiden

- Morris, G and Scarre, C J, 1981 Computerised analysis of the shapes of a class of Prehistoric stone tools from West-Central France, *Computer Applications in Archaeology 1981*, 83–94, University of London, Institute of Archaeology ISBN 0 905853 12 1
- Moscatti, P, 1994 Quantitative analysis of Etruscan cinerary urns, *Computer Applications and Quantitative Methods in Archaeology 1994*, 101–104, University of Glasgow
- Orton, C, 1991 Quantitative methods in the 1990s, *Computer Applications and Quantitative Methods in Archaeology 1991*, 137–140, University of Oxford
- Orton, C, 1992 What lies behind the quantification debate?, *Computing the Past. Computer Applications and Quantitative Methods in Archaeology CAA92*, 273–278, Aarhus University Press, Aarhus University
- Orton, C and Tyers, P, 1989 Error structures of ceramic assemblies, *Computer Applications and Quantitative Methods in Archaeology 1989*, 275–285, University of York
- Orton, C and Tyers, P, 1990 A technique for reducing the size of sparse contingency tables, *Computer Applications and Quantitative Methods in Archaeology 1990*, 121–126, University of Southampton
- Perry, D W, 1982 Cluster analysis: An aid to environmental interpretation?, *Computer Applications in Archaeology 1982*, 150–161, University of Birmingham
- Pike, H, 1980 Cluster analysis of Greek pottery from Carthage, *Computer Applications in Archaeology 1980*, 17–27, University of Birmingham
- Rees, D, Wilkinson, G G, Orton, C R and Grace, R, 1988 Fractal analysis of digital images of flint microwear, *Computer and Quantitative Methods in Archaeology 1988*, 177–183, University of Birmingham
- Richards, J D, 1982 Profile analysis of Early Anglo Saxon pottery, *Computer Applications in Archaeology 1982*, 105–113, University of Birmingham
- Ringrose, T J, 1992 Diversity Indices and archaeology, *Computing the Past. Computer Applications and Quantitative Methods in Archaeology CAA92*, 279–285, Aarhus University Press, Aarhus University
- Rulf, J, 1992 Pre-processing of archaeological data, *Computing the Past. Computer Applications and Quantitative Methods in Archaeology CAA92*, 329–332, Aarhus University Press, Aarhus University
- Scaife, B, Fleming, S J and Hancock, R G V, 1993 Clay resources at early Chinese kiln sites: The search for a reliable INAA, *Computer Applications and Quantitative Methods in Archaeology 1993*, 205–210, Staffordshire University
- Scott, A, Whittaker, J, Green, M and Hillson, S, 1990 Graphical modelling of archaeological data, *Computer Applications and Quantitative Methods in Archaeology 1990*, 111–116, University of Southampton
- Scott, W A, 1988 An application of the EM algorithm to archaeological data analysis, *Computer and Quantitative Methods in Archaeology 1988*, 43–52, University of Birmingham
- Smith, L D, 1974 Cluster analysis of twenty-nine Epipalaeolithic sites in Israel, *Computer Applications in Archaeology 1974*, 3–15, University of Birmingham
- Sneath, P H A, 1982 Classification and identification with incomplete data, *Computer Applications in Archaeology 1982*, 182–187, University of Birmingham
- Stark, B L and Hepworth, J T, 1982 A Diversity Index approach to analysis of standardization in Prehistoric pottery, *Computer Applications in Archaeology 1982*, 87–104, University of Birmingham
- Tirpakova, A and Vlkolinska, I, 1991 The application of some mathematical-statistical methods for the analysis of Slavic pottery, *Computer Applications and Quantitative Methods in Archaeology 1991*, 183–186, University of Oxford
- Tomber, R, 1987 Multivariate statistics and assemblage comparison, *Computer and Quantitative Methods in Archaeology 1987*, 29–38, University of Leicester
- Townsend, M E, 1977 A cluster analysis of weapon heads, *Computer Applications in Archaeology 1977*, 99–104, University of Birmingham
- Tyers, P and Orton, C, 1990 Statistical analysis of ceramic assemblies — a years progress, *Computer Applications and Quantitative Methods in Archaeology 1990*, 117–120, University of Southampton
- Tyldesley, J B, Hardy, E A, and Williamson, M H, 1983 Estimating missing measurements on animal bone, *Proceedings of the Conference on Computer Applications and Quantitative Methods in Archaeology CAA83*, 151–160, University of Bradford
- Vach, W and Alt, K W, 1992 Detection of kinship structures in prehistoric burial sites based on odontological traits, *Computing the Past. Computer Applications and Quantitative Methods in Archaeology CAA92*, 287–292, Aarhus University Press, Aarhus University
- Weber, T, 1994 Multivariate methods for the classification of Lower and Middle Palaeolithic stone inventories, *Computer Applications and Quantitative Methods in Archaeology 1994*, 105–112, University of Glasgow
- Wilcock, J D, 1974 The PLUTARCH System, *Computer Applications in Archaeology 1974*, 64–68, University of Birmingham
- Wilcock, J D, 1977 A comparison of monothetic divisive and polythetic agglomerative classifications of archaeological data, *Computer Applications in Archaeology 1977*, 55–60, University of Birmingham
- Wilcock, J D, 1993 Analysis of multidimensional matrices for archaeological data, *Computer Applications and Quantitative Methods in Archaeology 1993*, 191–197, Staffordshire University
- Wilcock, J D, 1994 The incorporation of cluster analysis into multidimensional matrix analysis, *Computer Applications and Quantitative Methods in Archaeology 1994*, 55–62, University of Glasgow

- Wilcock, J D and Coombes, T, 1985 Some further developments in hardware and software for the automatic capture of artefact shapes by television camera, *Computer Applications in Archaeology 1985*, 145–151, Institute of Archaeology, London
- Wilcock, J D and Shennan, S J, 1975 The computer analysis of pottery shapes with applications to Bell Beaker pottery, *Computer Applications in Archaeology 1975*, 98–106, University of Birmingham

Principal components analysis, correspondence analysis

- Axboe, M, 1992 Gold bracteates and correspondence analysis, *Computing the Past. Computer Applications and Quantitative Methods in Archaeology CAA92*, 333–342, Aarhus University Press, Aarhus University
- Baxter, M J and Beardah, C C, 1994 Graphical presentation of results from principal components analysis, *Computer Applications and Quantitative Methods in Archaeology 1994*, 63–67, University of Glasgow
- Baxter, M J and Heyworth, M P, 1989 Principal components analysis of compositional data in archaeology, *Computer Applications and Quantitative Methods in Archaeology 1989*, 227–240, University of York
- Bertelson, R, 1987 The finds pattern of archaeological excavations: Correspondence Analysis as explorative tool, *Computer and Quantitative Methods in Archaeology 1987*, 25–28, University of Leicester
- Callow, P, 1976 British and French handaxe series, *Computer Applications in Archaeology 1976*, 33–40, University of Birmingham
- Callow, P and Webb, R E, 1977 Structure in the S.W. French Mousterian, *Computer Applications in Archaeology 1977*, 69–76, University of Birmingham
- Cool, H E M and Baxter, M J, 1993 Finds from the fortress: artefacts, buildings and correspondence analysis, *Computer Applications and Quantitative Methods in Archaeology 1993*, 177–182, Staffordshire University
- Gob, A, 1987 Multivariate analysis of lithic industries: the influence of typology, *Computer and Quantitative Methods in Archaeology 1987*, 15–23, University of Leicester
- Müller, J, 1995 The use of correspondence analysis for different kinds of data categories: Domestic and ritual global amphorae sites in Central Germany, *Interfacing the Past. Computer Applications and Quantitative Methods in Archaeology CAA95*, 217–222, *Analecta Praehistorica Leidensia* 28, University of Leiden
- Ringrose, T, 1987 Correspondence analysis as an exploratory technique for stratigraphic abundance analysis, *Computer and Quantitative Methods in Archaeology 1987*, 3–14, University of Leicester
- Ryan, N S, 1982 Micro-computer analysis of Romano-British coin loss, *Computer Applications in Archaeology 1982*, 162–171, University of Birmingham
- Scollar, I, Herzog, I and Greenacre, M J, 1992 Colour and graphic display aids for correspondence analysis, *Computing the Past. Computer Applications and Quantitative Methods in Archaeology CAA92*, 325–327, Aarhus University Press, Aarhus University

Seriation, correlation of dating measurements

- Avery, M, 1987 DATRAN: analysing radiocarbon dates, *Computer and Quantitative Methods in Archaeology 1987*, 75–78, University of Leicester
- Bayliss, A and Orton, C, 1988 Seriation with parallel series — an historical example, *Computer and Quantitative Methods in Archaeology 1988*, 161–176, University of Birmingham
- Buck, C E and Litton, C D, 1990 A computational Bayes approach to some common archaeological problems, *Computer Applications and Quantitative Methods in Archaeology 1990*, 93–99, University of Southampton
- Graham, I, 1974 Seriation of graves and pits, *Computer Applications in Archaeology 1974*, 16, University of Birmingham
- Graham, I, Galloway, P and Scollar, I, 1975 Model studies in seriation techniques, *Computer Applications in Archaeology 1975*, 18–24, University of Birmingham
- De Guio, A and Secco, G, 1984 A new computer seriation algorithm, *Computer Applications in Archaeology 1984*, 199–209, University of Birmingham
- Herzog, I and Scollar, I, 1988 A mathematical basis for simulation of seriable data, *Computer and Quantitative Methods in Archaeology 1988*, 53–62, University of Birmingham
- Laxton, R R, 1987 Some results on mathematical seriation with applications, *Computer and Quantitative Methods in Archaeology 1987*, 39–44, University of Leicester
- Laxton, R R and Litton, C D, 1983 Information theory and dendrochronology: the effect of pre-whitening, *Proceedings of the Conference on Computer Applications and Quantitative Methods in Archaeology CAA83*, 137–149, University of Bradford
- Laxton, R R and Restorick, J, 1989 Seriation by similarity and consistency, *Computer Applications and Quantitative Methods in Archaeology 1989*, 215–225, University of York
- Leese, M N, 1987 Methods for finding calendar date bands from multiple-valued radiocarbon calibration curves, *Computer and Quantitative Methods in Archaeology 1987*, 147–151, University of Leicester
- Litton, C D, 1981 Dendrochronological analysis of timbers from Lincoln Cathedral, *Computer Applications in Archaeology 1981*, 70–74, University of London, Institute of Archaeology ISBN 0 905853 12 1
- Litton, C D and Leese, M N, 1990 Some statistical problems arising in radiocarbon calibration, *Computer Applications and Quantitative Methods in Archaeology 1990*, 101–109, University of Southampton

- Loving, S H, 1995 Estimating the age of stone artifacts using probabilities, *Interfacing the Past. Computer Applications and Quantitative Methods in Archaeology CAA95*, 251–261, *Analecta Praehistorica Leidensia* 28, University of Leiden
- Madsen, T, 1989 Seriation and multivariate statistics, *Computer Applications and Quantitative Methods in Archaeology 1989*, 205–214, University of York
- Orton, C, 1983 A statistical techniques for integrating C-14 dates with other forms of dating evidence, *Proceedings of the Conference on Computer Applications and Quantitative Methods in Archaeology CAA83*, 115–124, University of Bradford
- Pike, H H H M and Bradley, R, 1974 Note on the analysis of lithic assemblages, *Computer Applications in Archaeology 1974*, 27–29, University of Birmingham
- Reinhold, S, 1995 Time versus ritual — Typological structures and mortuary practices in Late Bronze/Early Iron Age cemeteries of North-East Caucasia (Koban Culture), *Interfacing the Past. Computer Applications and Quantitative Methods in Archaeology CAA95*, 195–202, *Analecta Praehistorica Leidensia* 28, University of Leiden
- Rozoy, J-G, Bennink, J, Newell, R R and Constandse-Westermann, T S, 1991 The Rozoy Numerical Ordination and Seriation program package for the analysis of nominal data matrices with MS-DOS Personal Computers, *Computer Applications and Quantitative Methods in Archaeology 1991*, 187–190, University of Oxford
- Salac, V, 1992 Seriation of Iron Age settlement sites in NW Bohemia — system of databases, CAAF program, *Computing the Past. Computer Applications and Quantitative Methods in Archaeology CAA92*, 343–348, Aarhus University Press, Aarhus University
- Scott, A, 1992 A parametric approach to seriation, *Computing the Past. Computer Applications and Quantitative Methods in Archaeology CAA92*, 317–324, Aarhus University Press, Aarhus University

Multidimensional scaling

- Bonsall, C and Leach, C, 1974 A multidimensional scaling analysis of British microlithic assemblages, *Computer Applications in Archaeology 1974*, 16, University of Birmingham

Spatial analysis (curve fitting, pattern recognition, nearest neighbour analysis, chi-squared, pearsons contingency coefficient, local density analysis, trend surface analysis, etc.)

- Boekschoten, G R and Stapert, D, 1995 A new tool for spatial analysis: Rings and sectors plus density analysis and trace lines, *Interfacing the Past. Computer Applications and Quantitative Methods in Archaeology CAA95*, 241–250, *Analecta Praehistorica Leidensia* 28, University of Leiden
- Buck, C E, Cavanagh, W G and Litton, C D, 1988 The spatial analysis of site phosphate data, *Computer and Quantitative Methods in Archaeology 1988*, 151–160, University of Birmingham
- Clark, G A, Effland, R W, and Johnstone, J C, 1977 Quantitative spatial analysis: computer applications of nearest neighbor and related approaches to the analysis of objects distributed across two-dimensional space, *Computer Applications in Archaeology 1977*, 27–40, University of Birmingham
- Cogbill, S, 1980 Computer post-hole analysis with reference to the British Bronze Age, *Computer Applications in Archaeology 1980*, 35–38, University of Birmingham
- Constantine, A G, Gower, J C, and Zielman, B, 1992 A Cappadocian tablet problem, *Computing the Past. Computer Applications and Quantitative Methods in Archaeology CAA92*, 303–315, Aarhus University Press, Aarhus University
- Djindjian, F, 1988 Improvements in intra-site spatial analysis techniques, *Computer and Quantitative Methods in Archaeology 1988*, 95–106, University of Birmingham
- Eisler, J, Pejsa, J and Preuss, K, 1988 A digital model of archaeological excavations as the starting point of a database of primary information in Egyptology: method — procedure — experience, *Computer and Quantitative Methods in Archaeology 1988*, 109–132, University of Birmingham
- Fieller, N and O'Neill, S, 1982 Orientations of Bronze Age houses: Statistical analysis of directional data, *Computer Applications in Archaeology 1982*, 172–181, University of Birmingham
- Fieller, N, Nolan, R and Robson, D, 1983 Spatial analysis in irregular regions, *Proceedings of the Conference on Computer Applications and Quantitative Methods in Archaeology CAA83*, 161–170, University of Bradford
- Fletcher, M and Attwell, M, 1987 How many tombs make a site?, *Computer and Quantitative Methods in Archaeology 1987*, 61–74, University of Leicester
- Fletcher, M and Lock, G, 1980 Computer assisted pattern perception within post hole distributions, *Computer Applications in Archaeology 1980*, 39–48, University of Birmingham
- Fletcher, M and Reilly, P, 1987 Viking settlers and the Isle of Man: some simulation experiments *Computer and Quantitative Methods in Archaeology 1987*, 95–117, University of Leicester
- Galanidou, N, 1992 Quantitative methods for spatial analysis at rockshelters: the case of Klithi, *Computing the Past. Computer Applications and Quantitative Methods in Archaeology CAA92*, 357–366, Aarhus University Press, Aarhus University
- Goodier, A J, 1983 The formation of boundaries in the pagan Anglo-Saxon period: a statistical study, *Proceedings of the Conference on Computer Applications and Quantitative Methods in Archaeology CAA83*, 93–101, University of Bradford
- Haigh, J G B, 1981 Procedures for the surface sampling of archaeological sites, *Computer Applications in Archaeology 1981*, 61–69, University of London, Institute of Archaeology ISBN 0 905853 12 1

- Haigh, J G B, 1991 Radial basis functions and archaeological surfaces, *Computer Applications and Quantitative Methods in Archaeology 1991*, 157–161, University of Oxford
- Haigh, J G B and Kelly, M A, 1986 Interactive spatial analysis on a micro, *Computer Applications in Archaeology 1986*, 162–170, University of Birmingham
- Johnson, I, 1977 Local density analysis: A new method for quantitative spatial analysis, *Computer Applications in Archaeology 1977*, 90–98, University of Birmingham
- Johnstone, J C, Effland, R W and Clark, G A, 1977 The Arizona State University nearest neighbor program: Documentation and discussion, *Computer Applications in Archaeology 1977*, 45–54, University of Birmingham
- Jonkers, A R T, 1993 A different perspective: spatial analysis of Hazendonk unit C by layer reconstruction based dimension reduction, *Computer Applications and Quantitative Methods in Archaeology 1993*, 115–125, Staffordshire University
- Kelly, M A and Haigh, J G B, 1983 Determination of archaeological structure by spatial analysis and association, *Proceedings of the Conference on Computer Applications and Quantitative Methods in Archaeology CAA83*, 181–188, University of Bradford
- Litton, C D and Restorick, J, 1983 Computer analysis of post hole distributions, *Proceedings of the Conference on Computer Applications and Quantitative Methods in Archaeology CAA83*, 85–92, University of Bradford
- Peterson, J, 1991 Fourier analysis of field boundaries, *Computer Applications and Quantitative Methods in Archaeology 1991*, 149–156, University of Oxford
- Peterson, J W M, 1988 Information systems and the interpretation of Roman cadastres, *Computer and Quantitative Methods in Archaeology 1988*, 133–149, University of Birmingham
- Peterson, J W M, 1994 Flavian fort sites in South Wales: a spreadsheet analysis, *Computer Applications and Quantitative Methods in Archaeology 1994*, 87–93, University of Glasgow
- Peterson, J W M, 1995 A computer model of Roman landscape in South Limburg, *Interfacing the Past. Computer Applications and Quantitative Methods in Archaeology CAA95*, 185–194, *Analecta Praehistorica Leidensia* 28, University of Leiden
- Rodgers, P, 1987 Multi-response permutation procedures, *Computer and Quantitative Methods in Archaeology 1987*, 45–54, University of Leicester
- Scollar, I, 1989 Geodetic and cartographic problems in archaeological data bases at and within the boundaries of some countries, *Computer Applications and Quantitative Methods in Archaeology 1989*, 251–273, University of York
- Sneath, P H A, 1986 Some experiments in fitting pairs of diagrams that lack defined reference points, *Computer Applications in Archaeology 1986*, 179–196, University of Birmingham
- Williams, W and Pike, H, 1984 The layout of Woodhenge *Computer Applications in Archaeology 1984*, 189–198, University of Birmingham
- Wünsch, G, 1994 Spatial interrelationships analysis and its simple statistical tools, *Computer Applications and Quantitative Methods in Archaeology 1994*, 75–80, University of Glasgow

Simulation and computer modelling

- Doran, J E, 1981 A computational model of early state collapse, *Computer Applications in Archaeology 1981*, 115, University of London, Institute of Archaeology ISBN 0 905853 12 1
- Doran, J E, 1986 A contract-structure model of sociocultural change, *Computer Applications in Archaeology 1986*, 171–178, University of Birmingham
- Freeman, P, 1987 How to simulate if you must, *Computer and Quantitative Methods in Archaeology 1987*, 139–146, University of Leicester
- Iilff, N, 1980 The use of simulation in the understanding of patterning in cemeteries — Its potentials, problems and limitations, *Computer Applications in Archaeology 1980*, 28–34, University of Birmingham
- Kamermans, H, 1994 Survey sampling, right or wrong?, *Computer Applications and Quantitative Methods in Archaeology 1994*, 123–126, University of Glasgow
- Lockyear, K, 1990 Simulating coin hoard formation, *Computer Applications and Quantitative Methods in Archaeology 1990*, 195–206, University of Southampton
- Lockyear, K, 1992 Coin hoard formation revisited..., *Computing the Past. Computer Applications and Quantitative Methods in Archaeology CAA92*, 367–376, Aarhus University Press, Aarhus University
- Miller, A P, 1993 The York archaeological assessment: computer modelling of urban deposits in the City of York, *Computer Applications and Quantitative Methods in Archaeology 1993*, 149–154, Staffordshire University
- Mithen, S J, 1987 Simulation as a methodological tool: inferring hunting goals from faunal assemblages, *Computer and Quantitative Methods in Archaeology 1987*, 119–137, University of Leicester
- OFlaherty, B, 1988 The Southampton-York archaeological simulation system, *Computer and Quantitative Methods in Archaeology 1988*, 491–497, University of Birmingham
- Orton, C, 1985 Two useful parameters for pottery research, *Computer Applications in Archaeology 1985*, 114–120, Institute of Archaeology, London
- Orton, C, 1995 Markov models for museums, *Interfacing the Past. Computer Applications and Quantitative Methods in Archaeology CAA95*, 149–153, *Analecta Praehistorica Leidensia* 28, University of Leiden
- Rahtz, S, 1988 A resource-based archaeological simulation, *Computer and Quantitative Methods in Archaeology 1988*, 473–490, University of Birmingham

- Reynolds, P J, 1988 Sherd movement in the ploughzone — physical data base into computer simulation, *Computer and Quantitative Methods in Archaeology 1988*, 201–219, University of Birmingham
- Sanjuan, L G and Lopez, J R, 1995 Predicting the ritual? A suggested solution in archaeological forecasting through qualitative response models, *Interfacing the Past. Computer Applications and Quantitative Methods in Archaeology CAA95*, 203–216, *Analecta Praehistorica Leidensia* 28, University of Leiden
- Scott, R B, 1988 Simulating ancient strategic warfare, *Computer and Quantitative Methods in Archaeology 1988*, 505–521, University of Birmingham
- Steele, J, Sluckin, T J, Denholm, D R and Gamble, C S, 1995 Simulating hunter-gatherer colonization of the Americas, *Interfacing the Past. Computer Applications and Quantitative Methods in Archaeology CAA95*, 223–227, *Analecta Praehistorica Leidensia* 28, University of Leiden
- Sumner, A, 1988 A Monte Carlo analysis of the Merrivale stone rows, *Computer and Quantitative Methods in Archaeology 1988*, 185–190, University of Birmingham
- Wainwright, J and Thornes, J B, 1990 Computer and hardware modelling of archaeological sediment transport on hillslopes, *Computer Applications and Quantitative Methods in Archaeology 1990*, 183–194, University of Southampton
- Weber, T, 1992 Mathematical models for the reconstruction of prehistoric settlement patterns: Central German examples, *Computing the Past. Computer Applications and Quantitative Methods in Archaeology CAA92*, 377–388, Aarhus University Press, Aarhus University
- Wise, A L and Thorne, T, 1994 Global palaeoclimate modelling approaches: some considerations for archaeologists, *Computer Applications and Quantitative Methods in Archaeology 1994*, 127–132, University of Glasgow

Expert systems and artificial intelligence

- Baker, K G, 1987 Towards an archaeological methodology for expert systems, *Computer and Quantitative Methods in Archaeology 1987*, 229–236, University of Leicester
- Barcelo, J A, 1992 Computer-based techniques for the representation of automatic problem-solving in archaeology, *Computing the Past. Computer Applications and Quantitative Methods in Archaeology CAA92*, 239–249, Aarhus University Press, Aarhus University
- Bishop, M C and Thomas, J, 1984 BEAKER — An expert system for the BBC Micro, *Computer Applications in Archaeology 1984*, 56–62, University of Birmingham
- Brough, D R and Parfitt, N, 1984 An expert system for the ageing of a domestic animal, *Computer Applications in Archaeology 1984*, 49–55, University of Birmingham
- Bullas, S G, 1994 ID-MARGARY: an Inference Database for the MAPPING Recognition and Generation of Ancient Roads and trackways, *Computer Applications and Quantitative Methods in Archaeology 1994*, 133–136, University of Glasgow
- Doran, J, 1987 Expert systems and archaeology: what lies ahead?, *Computer and Quantitative Methods in Archaeology 1987*, 237–241, University of Leicester
- Ennals, R and Brough, D, 1982 Representing the knowledge of the expert archaeologist, *Computer Applications in Archaeology 1982*, 56–62, University of Birmingham
- Francfort, H P, 1990 Palamede — application of expert systems to the archaeology of prehistoric urban civilisations, *Computer Applications and Quantitative Methods in Archaeology 1990*, 211–214, University of Southampton
- Gibson, P M, 1992 The potentials of hybrid neural network models for archaeofaunal ageing and interpretation, *Computing the Past. Computer Applications and Quantitative Methods in Archaeology CAA92*, 263–271, Aarhus University Press, Aarhus University
- Gibson, P M, 1995 An archaeofaunal ageing comparative study into the performance of human analysis versus hybrid neural network analysis, *Interfacing the Past. Computer Applications and Quantitative Methods in Archaeology CAA95*, 229–233, *Analecta Praehistorica Leidensia* 28, University of Leiden
- Ozawa, K, 1989 Rule-based dating of artefacts, *Computer Applications and Quantitative Methods in Archaeology 1989*, 375–386, University of York
- Palmer, M and Doran, J, 1992 Contrasting models of Upper Palaeolithic social dynamics: a distributed artificial intelligence approach, *Computing the Past. Computer Applications and Quantitative Methods in Archaeology CAA92*, 251–262, Aarhus University Press, Aarhus University
- Patel, J and Stutt, S, 1989 Beyond classification: the use of artificial intelligence techniques for the interpretation of archaeological data, *Computer Applications and Quantitative Methods in Archaeology 1989*, 339–347, University of York
- Sermon, R, 1994 The use of computers in the decipherment of the Hackness Cross cryptic inscriptions, *Computer Applications and Quantitative Methods in Archaeology 1994*, 253–257, University of Glasgow
- Stutt, A, 1988 Second generation expert systems, explanations, arguments and archaeology, *Computer and Quantitative Methods in Archaeology 1988*, 353–367, University of Birmingham
- Vitali, V, 1990 Formal methods for the analysis of archaeological data: data analysis vs expert systems, *Computer Applications and Quantitative Methods in Archaeology 1990*, 207–209, University of Southampton
- Vitali, V and Lagrange, M-S, 1988 VANDAL: an expert system for the provenance determination of archaeological ceramics based on INAA material, *Computer and Quantitative Methods in Archaeology 1988*, 369–375, University of Birmingham

Wilcock, J D, 1985 A review of expert systems: their shortcomings and possible applications in archaeology, *Computer Applications in Archaeology 1985*, 139–144, Institute of Archaeology, London

Stratigraphical analysis

- Agresti, E, Maggiolo-Schettini, A, Saccoccio, R, Pierobon, M and Pierobon-Benoit, R, 1995 Handling excavation maps in SYSAND, *Interfacing the Past. Computer Applications and Quantitative Methods in Archaeology CAA95*, 31–36, *Analecta Praehistorica Leidensia* 28, University of Leiden
- Boast, R and Chapman, D, 1990 SQL and hypertext generation of stratigraphic adjacency matrices, *Computer Applications and Quantitative Methods in Archaeology 1990*, 43–51, University of Southampton
- Desachy, B and Djindjian, F, 1990 Matrix processing of stratigraphic graphs: a new method, *Computer Applications and Quantitative Methods in Archaeology 1990*, 29–37, University of Southampton
- Djindjian, F, 1991 Reconstructing stratigraphy: a discrete sampling approach, *Computer Applications and Quantitative Methods in Archaeology 1991*, 179–181, University of Oxford
- Haigh, J G B, 1985 The Harris Matrix as a partially ordered set, *Computer Applications in Archaeology 1985*, 81–90, Institute of Archaeology, London
- Herzog, I, 1993 Combining stratigraphic information and finds, *Computer Applications and Quantitative Methods in Archaeology 1993*, 109–114, Staffordshire University
- Herzog, I and Scollar, I, 1990 A new graph theoretic oriented program for Harris Matrix analysis, *Computer Applications and Quantitative Methods in Archaeology 1990*, 53–59, University of Southampton
- Huggett, J W and Cooper, M A, 1990 The computer representation of space in urban archaeology, *Computer Applications and Quantitative Methods in Archaeology 1990*, 39–42, University of Southampton
- Maggiolo-Schettini, A, Seccacini, P, Serratore, C D, Pierobon-Benoit, R and Soricelli, G, 1994 SYSAND: a system for the archaeological excavations of Anderitum (Javols, Lozère, France), *Computer Applications and Quantitative Methods in Archaeology 1994*, 229–233, University of Glasgow
- Ryan, N S, 1988 Browsing through the stratigraphic record, *Computer and Quantitative Methods in Archaeology 1988*, 327–334, University of Birmingham
- Ryan, N S, 1994 The excavation archive as hyperdocument?, *Computer Applications and Quantitative Methods in Archaeology 1994*, 211–220, University of Glasgow
- Wilcock, J D, 1975 Archaeological context sorting by computer, *Computer Applications in Archaeology 1975*, 93–97, University of Birmingham
- Wilcock, J D, 1981 STRATA — The microcomputer version, *Computer Applications in Archaeology 1981*, 112–114, University of London, Institute of Archaeology ISBN 0 905853 12 1
- Wilcock, J D, 1983 Some further developments of the STRATA System, *Proceedings of the Conference on Computer Applications and Quantitative Methods in Archaeology CAA83*, 189–190, University of Bradford
- Wünsch, G, Arasa, E and Perez, M, 1995 Dissecting the palimpsest: an easy computer-graphic approach to the stratigraphic sequence of Túnel VII site (Tierra del Fuego, Argentina), *Interfacing the Past. Computer Applications and Quantitative Methods in Archaeology CAA95*, 453–456, *Analecta Praehistorica Leidensia* 28, University of Leiden

Contact details

Dr John Denis Wilcock
Computing Archaeology Research Group
School of Computing
Staffordshire University
P.O. Box 334
Stafford ST18 0DG
UK
email: j.d.wilcock@soc.staffs.ac.uk